Author Index Vols. 552 and 553

Aalto, T., see Rosenberg, C. 552(1991)265

Agnus, B., Sebille, B. and Gosselet, M.
Effects of β-cyclodextrin in the mobile phase on the retention and indirect detection of non-electrolytes in reversed-phase liquid chromatography. II. Steroids 552(1991)583

Albert, K., see Buszewski, B. 552(1991)415

Anton, K., Bach, M. and Geiser, A.
Supercritical fluid chromatography in the routine stability control of antipruritic preparations 553(1991)71

Antonelli, A., Conte, L. S. and Lercker, G.
Applications of capillary gas chromatography to the quality control of butter and related products 552(1991)273

Antonozzi, I., see Carducci, C. 553(1991)149

Arrigoni Martelli, E., see Mancinelli, A. 553(1991)81

Attard Barbini, D., see Di Muccio, A. 552(1991)241

Attard Barbini, D., see Di Muccio, A. 553(1991)305

Ausili, A., see Di Muccio, A. 552(1991)241

Ausili, A., see Di Muccio, A. 553(1991)305

Bach, M., see Anton, K. 553(1991)71

Badoud, R., Fay, L., Richli, U. and Hušek, P.
Gas chromatographic determination of N-carboxymethyl amino acids, the periodate oxidation products of Amadori compounds 552(1991)345

Baeyens, W. R. G., see Lin Ling, B. 553(1991)433

Baldo, C., see Rizzolo, A. 553(1991)187

Balmér, K., Persson, A., Lagerström, P.-O., Persson, B.-A. and Schill, G.
Liquid chromatographic separation of the enantiomers of metoprolol and its α-hydroxy metabolite on Chiralcel OD for determination in plasma and urine 553(1991)391

Bánhegyi, G., Cserháti, T. and Valkó, K.
Retention of some ethylenediamine oligomers in reversed-phase chromatography 553(1991)407

Barceló, D., Durand, G., Vreeken, R. J., De Jong, G. J., Lingeman, H. and Brinkman, U. A. T.
Evaluation of eluents in thermospray liquid chromatography–mass spectrometry for identification and determination of pesticides in environmental samples 553(1991)311

Bartha, Á., Ståhlberg, J. and Szokoli, F.
Extension of the electrostatic retention model of reversed-phase ion-pair high-performance liquid chromatography to include the effect of the eluent pH 552(1991)13

Baurain, R., see Van Tellingen, O. 553(1991)47

Bayer, E., see Buszewski, B. 552(1991)415

Becker, M., see Boeden, H.-F. 552(1991)389

Beijnen, J. H., see Van Tellingen, O. 553(1991)47

Belik, M. Y., see Galushko, S. V. 553(1991)143

Belliardo, F., Bertolino, A., Brandolo, G. and Lucarelli, C.
Micro-liquid chromatography method for the determination of ciclopiroxolamine after pre-column derivatization in topical formulations 553(1991)41

Berezkin, V. G., Viktorova, E. N., Gavrichev, V. S., Rang, S. A., Kuningas, K. R. and Meister, A. E.
Gas chromatographic separation of unsaturated polar compounds on inorganic stationary phases containing silver nitrate 552(1991)313

Berezkina, L. G., Borisova, S. I., Melnikova, S. V. and Souhodolova, V. I.
Reaction-gas chromatography for physico-chemical investigations on aggressive gases 552(1991)319

Berrisford, R. G., see Clark, B. J. 553(1991)383

Bertolino, A., see Belliardo, F. 553(1991)41

Bertram, D., see Boeden, H.-F. 552(1991)389

Birarelli, M., see Carducci, C. 553(1991)149

Bird, R., see Evans, M. B. 552(1991)169

Boeden, H.-F., Pommerening, K., Becker, M., Rupprich, C., Holtzhauer, M., Loth, F., Müller, R. and Bertram, D.
Bead cellulose derivatives as supports for immobilization and chromatographic purification of proteins 552(1991)389

Borisova, S. I., see Berezkina, L. G. 552(1991)319

Bosman, J., see Witte, D. T. 553(1991)365

Both-Miedema, R., see Jansen, E. H. J. M. 553(1991)123

Bouguerra, M. L., see Driss, M. R. 552(1991)213

Bouguerra, M. L., see Sabbah, S. 552(1991)223

Brandolo, G., see Belliardo, F. 553(1991)41

Brandšteterová, E., see Matisová, E. 552(1991)301

Brega, A., Villa, P., Quadrini, G., Quadri, A. and Lucarelli, C.
High-performance liquid chromatographic determination of acetone in blood and urine in the clinical diagnostic laboratory 553(1991)249
Brinkman, U. A. T., see Barceló, D. 553(1991)311
Brinkman, U. A. T., see Goosens, E. C. 552(1991)489
Brinkman, U. A. T., see Kwakman, P. J. M. 553(1991)345
Brinkman, U. A. T., see Somsen, G. W. 552(1991)635
Brinkman, U. A. T., see Van de Nesse, R. J. 552(1991)613
Bruno, A., see Pietta, P. 553(1991)223
Bruno, G., see Mancinelli, A. 553(1991)81
Burger, B. V., Le Roux, M., Munro, Z. M. and Wilken, M. E.
Production and use of capillary traps for headspace gas chromatography of airborne volatile organic compounds 552(1991)137
Burkow, I. C. and Henderson, R. J.
Isolation and quantification of polymers from autoxidized fish oils by high-performance size-exclusion chromatography with an evaporative mass detector 552(1991)501
Buszewski, B., Schmid, J., Albert, K. and Bayer, E.
Chemically bonded phases for the reversed-phase high-performance liquid chromatographic separation of basic substances 552(1991)415
Caccialanza, G., see Kitsos, M. 553(1991)1
Camoni, I., see Di Muccio, A. 553(1991)305
Caprioli, R. M., see Suter, M. J.-F. 553(1991)101
Cardace, G., see Mancinelli, A. 553(1991)81
Carducci, C., Moretti, F., Birarelli, M. and Antonozzi, I.
Rapid and sensitive high-performance liquid chromatographic method for the analysis of tryptophan, tyrosine and phenylalanine in biological samples 553(1991)149
Carpenè, G., Vettoretti, A., Pedini, F., Rocco, S., Mantero, F. and Opocher, G.
Hypertensive congenital adrenal enzymatic defects detected by high-performance liquid chromatography of corticosteroids 553(1991)201
Cartoni, G. P., Castellani, L., Goretti, G., Russo, M. V. and Zacchei, P.
Gas–liquid microcapillary columns precoated with graphitized carbon black 552(1991)197
Castellani, L., see Cartoni, G. P. 552(1991)197
Cavenaghi, L., see Riva, E. 553(1991)35
Ceva, P., see Pietta, P. 553(1991)223
Chan, P. F., see Law, B. 552(1991)429
Chanev, C., see Gavrilova, T. B. 552(1991)179
Chmel, K. and Gajdůšková, V.
New Czechoslovak sorbent, Ekosorb 552(1991)449
Clark, B. J., Hamdi, A., Berrisford, R. G., Sabanathan, S. and Mearns, A. J.
Reversed-phase and chiral high-performance liquid chromatographic assay of bupivacaine and its enantiomers in clinical samples after continuous extraplural infusion 553(1991)383
Coene, J., Ghijs, M., Van den Eeckhout, E., Van den Bossche, W. and Sandra, P.
Evaluation of different packings for high-performance liquid chromatographic analysis of alkyl lysophospholipids 553(1991)285
Collins, C. H., see De A. Leone, P. 553(1991)399
Conte, L. S., see Antonelli, A. 552(1991)273
Coquart, V. and Hennion, M.-C.
Interference removal in the organic trace-level analysis of aqueous environmental samples by on-line liquid chromatographic preconcentration techniques with two precolumns 553(1991)329
Coquet, A., Veuthey, J.-L. and Haerdi, W.
Selective post-column fluorigenic reaction with benzamidine for trace level detection of reducing saccharides in liquid chromatography 553(1991)255
Cramers, C. A., see Janssen, H.-G. 552(1991)527
Crooks, B., see Gaskell, R. M. 553(1991)357
Cserháti, T.
Dependence of the silanophilic effect on the concentration of preadsorbed salts and on the chemical structure of peptides in reversed-phase thin-layer chromatography 553(1991)467
Cserháti, T., see Bánhegyi, G. 553(1991)407
DaGue, B. B., see Suter, M. J.-F. 553(1991)101
Dale, A. D. and Evans, M. B.
Gas–liquid chromatography in qualitative analysis. XIX. The use of antioxidants to delay the oxidation of polyoxyethylene glycol stationary phases 552(1991)161
De A. Leone, P. and Collins, C. H.
Isocratic reversed-phase high-performance liquid chromatographic separation of simple perhalogenated compounds 553(1991)399
De Boer, T., see Witte, D. T. 553(1991)365
De Jong, A. P. J. M., see Somsen, G. W. 552(1991)635
De Jong, D., see Goosens, E. C. 552(1991)489

De Jong, G. J., see Barceló, D. 553(1991)311
De Jong, G. J., see Goosens, E. C. 552(1991)489
De Jong, G. J., see Kwakman, P. J. M. 553(1991)345
De Jong, J., Van Polanen, A. and Driessen, J. J. M.
Determination of ethylenediaminetetraacetic acid and its salts in canned mushrooms by reversed-phase ion-pair liquid chromatography 553(1991)243
De la Vigne, U., Jänchen, D. E. and Weber, W. H.
Application of high-performance thin-layer chromatography and automated multiple development for the identification and determination of pesticides in water 553(1991)489
De Lorenzi, E., see Kitsos, M. 553(1991)1
De Man, H. C. J., see Mengerink, Y. 552(1991)593
De Merulis, G., see Di Muccio, A. 552(1991)241
De Moel, J. J. M., see Van de Nesse, R. J. 552(1991)613
Denaro, M., see Milana, M. R. 552(1991)205
Dernovaya, L. A., Eltekov, Y. A., Hradil, J. and Svec, F.
Estimation of cellulose polarity by gas chromatography 552(1991)365
Desbène, P. L., Essayegh, M., Desmazieres, B. and Villeneuve, F.
Analysis of biomass pyrolysis oils by a combination of various liquid chromatographic techniques and gas chromatography–mass spectrometry 553(1991)211
Desmazieres, B., see Desbène, P. L. 553(1991)211
Dewaele, C., see Lin Ling, B. 553(1991)433
Deyl, Z., see Hanis, T. 553(1991)93
De Zeeuw, R. A., see Witte, D. T. 553(1991)365
Dimov, N. and Moskovkina, M.
New aspects of quantitative structure–retention relationships in chromatography 552(1991)59
Di Muccio, A., Ausili, A., Dommarco, R., Attard Barbini, D., Santilio, A., Vergori, F., De Merulis, G. and Sernicola, L.
Solid-matrix partition for separation of organochlorine pesticide residues from fatty materials 552(1991)241
Di Muccio, A., Camoni, I., Vergori, L., Dommarco, R., Attard Barbini, D., Vergori, F., Ausili, A. and Santilio, A.
Screening for coumatetralyl in soft drinks by solid-matrix extraction and high-performance liquid chromatography with diode-array detection 553(1991)305
Dittberner, K., see Zobel, H. 553(1991)441
Dommarco, R., see Di Muccio, A. 552(1991)241
Dommarco, R., see Di Muccio, A. 553(1991)305
Doorn, L., Jansen, E. H. J. M. and Van Leeuwen, F. X. R.
Comparison of high-performance liquid chromatog aphic detection methods for thyronine and tyrosine residues in toxicological studies of the thyroid 553(1991)135
Doorn, L., see Jansen, E. H. J. M. 553(1991)123
Doorn, L., see Reinerink, E. J. M. 553(1991)233
Dosi, L., see Italia, A. 553(1991)15
Drenth, B. F. H., see Witte, D. T. 553(1991)365
Driessen, J. J. M., see De Jong, J. 553(1991)243
Driss, M. R., Sabbah, S. and Bouguerra, M. L.
Chromatographie en phase gazeuse haute résolution–spectrométrie de masse des congénères de biphényles polychlorés dans quelques échantillons d'origine biologique 552(1991)213
Drusany, I., see Prošek, M. 553(1991)477
Duchateau, A. L. L., Munsters, B. H. M., Kwakkenbos, G. T. C. and Van Leuken, R. G. J.
Selection of buffers and of an ion-pairing agent for thermospray liquid chromatographic–mass spectrometric analysis of ionic compounds 552(1991)605
Durand, G., see Barceló, D. 553(1991)311
Edlund, P. O. and Johansen, K.
Clean-up of plasma extracts by gel permeation chromatography during analysis of isosorbide nitrates by capillary gas chromatography 553(1991)21
El-Shahawi, M. S., see Farag, A. B. 552(1991)371
Eltekov, Y. A., see Dernovaya, L. A. 552(1991)365
Ensing, K., see Witte, D. T. 553(1991)365
Escott, R. E. A. and Mortimer, N.
Analysis of polyethylene glycol and derivatives by high-performance liquid chromatography using elevated temperatures and low-wavelength ultraviolet detection, and supercritical fluid chromatography 553(1991)423
Essayegh, M., see Desbène, P. L. 553(1991)211
Evans, M. B., Bird, R. and O'Sullivan, H.
Gas chromatography in qualitative analysis. XX. The deactivation of diatomaceous supports by batyl alcohol 552(1991)169
Evans, M. B., see Dale, A. D. 552(1991)161
Fábián, V., Morvai, M., Pintér-Szakács, M. and Molnár-Perl, I.
Standardization of cation-exchange clean-up prior to gas chromatography of amino acids 553(1991)87

Fantazzini, C., see Marcato, B. 553(1991)415
Farag, A. B. and El-Shahawi, M. S.
Removal of organic pollutants from aqueous solution. V. Comparative study of the extraction, recovery and chromatographic separation of some organic insecticides using unloaded polyurethane foam columns 552(1991)371
Fay, L., see Badoud, R. 552(1991)345
Feliciani, R., see Milana, M. R. 552(1991)205
Fielden, P. R., see Packham, A. J. 552(1991)575
Flament, I., see Wünsche, L. 552(1991)539
Fukuyama, T., see Nishi, H. 553(1991)503
Gajdůšková, V., see Chmel, K. 552(1991)449
Galushko, S. V.
Calculation of retention and selectivity in reversed-phase liquid chromatography 552(1991)91
Galushko, S. V., Belik, M. Y., Solodenko, V. A., Kasheva, T. N. and Kukhar, V. P.
Normal- and reversed-phase high-performance liquid chromatography of some phosphonodipeptides 553(1991)143
Gandini, C., see Kitsos, M. 553(1991)1
Gaskell, R. M. and Crooks, B.
Practical strategy for the analytical separation of enantiomers by high-performance liquid chromatography 553(1991)357
Gavrichev, V. S., see Berezkin, V. G. 552(1991)313
Gavrilova, T. B., Nikitin, Y. S., Vlasenko, E. V., Topalova, I., Petsev, N. and Chanev, C.
Gas chromatographic investigation of silica supports modified in a high-frequency low-temperature plasma 552(1991)179
Geiser, A., see Anton, K. 553(1991)71
Gerber, G., see Grune, T. 553(1991)193
Gerber, G., see Werner, A. 553(1991)205
Ghijs, M., see Coene, J. 553(1991)285
Giard-Pasquier, C. and Rickenbacher, U.
Purification of canine prolactin and growth hormone by fast protein liquid chromatography 553(1991)117
Głowniak, K.
Comparison of selectivity of silica and Florisil in the separation of natural pyranocoumarins 552(1991)453
Goewie, C. E., see Hogendoorn, E. A. 552(1991)113
Golc-Wondra, A., see Prošek, M. 553(1991)477
Golovnya, R. V., Zhuravleva, I. L., Yakush, E. V. and Schenderjuk, V. V.
Retentions of alkyloxazoles and alkylthiazoles and their prediction based on non-linear additivity concepts in gas chromatography 552(1991)1
Gooijer, C., see Schreurs, M. 552(1991)625
Gooijer, C., see Somsen, G. W. 552(1991)635
Gooijer, C., see Van de Nesse, R. J. 552(1991)613
Goosens, E. C., De Jong, D., Van den Berg, J. H. M., De Jong, G. J. and Brinkman, U. A. T.
Reversed-phase liquid chromatography coupled on-line with capillary gas chromatography. I. Introduction of large volumes of aqueous mixtures through an on-column interface 552(1991)489
Gorenc, B., see Gros, N. 552(1991)475
Goretti, G., see Cartoni, G. P. 552(1991)197
Gosselet, M. and Sebille, B.
Effects of β-cyclodextrin in the mobile phase on the retention and indirect detection of non-electrolytes in reversed-phase liquid chromatography. I. Study of aliphatic alcohols 552(1991)563
Gosselet, M., see Agnus, B. 552(1991)583
Gottschall, K., see Oberdorfer, F. 552(1991)483
Gramiccioni, L., see Milana, M. R. 552(1991)205
Gros, N. and Gorenc, B.
Optimization of ion chromatography 552(1991)475
Grune, T., Siems, W. G., Gerber, G. and Uhlig, R.
Determination of the ultraviolet absorbance and radioactivity of purine compounds separated by high-performance liquid chromatography. Application to metabolic flux rate analysis 553(1991)193
Guan, Y. and Zhou, L.
Live retention database for identification in multi-step temperature-programmed capillary gas chromatography 552(1991)187
Guiochon, G., see Zhu, J. 552(1991)71
Haerdi, W., see Coquet, A. 553(1991)255
Hamdi, A., see Clark, B. J. 553(1991)383
Hanis, T., Deyl, Z., Struzinsky, R. and Miksik, I.
Separation of elastin cross-links as phenylisothiocyanate derivatives 553(1991)93
Hellendoorn, L., see Schreurs, M. 552(1991)625
Helms, M., see Zobel, H. 553(1991)441
Henderson, R. J., see Burkow, I. C. 552(1991)501
Hennion, M.-C., see Coquart, V. 553(1991)329
Herzog, R., see Zech, K. 553(1991)55
Hesso, A., see Rosenberg, C. 552(1991)265
Hogendoorn, E. A., Hoogerbrugge, R., Goewie, C. E., Van Zoonen, P. and Schoenmakers, P. J.
Development of a rational optimisation procedure for the automated sample clean-up with column switching in pesticide residue analysis 552(1991)113

Holotík, Š., see Matisová, E. 552(1991)301
Holtzhauer, M., see Boeden, H.-F. 552(1991)389
Hoogerbrugge, R., see Hogendoorn, E. A. 552(1991)113
Hoogland, G. J. M., see Van de Nesse, R. J. 552(1991)613
Hradil, J., see Dernovaya, L. A. 552(1991)365
Huber, R. and Schildnitz, U.
Sensitive determination of the phosphodiesterase III/IV inhibitor zardaverine in human serum by direct sample injection, automated precolumn clean-up and high-performance liquid chromatography 553(1991)65
Hušek, P.
Rapid derivatization and gas chromatographic determination of amino acids 552(1991)289
Hušek, P., see Badoud, R. 552(1991)345
Italia, A., Dosi, L. and Schiavi, M.
Improved high-performance liquid chromatographic resolution of the geometric isomers of 6-hydroxy-4-(1-hydroxy-1-methylethyl)-1-cyclohexene-1-ethanol and by-products with β-cyclodextrin 553(1991)15
Ivanova, N., see Lekova, K. 552(1991)353
Jänchen, D. E., see De la Vigne, U. 553(1991)489
Jansen, E. H. J. M., Van den Berg, R. H., Both-Miedema, R. and Doorn, L.
Advantages and limitations of pre-column derivatization of amino acids with dabsyl chloride 553(1991)123
Jansen, E. H. J. M., see Doorn, L. 553(1991)135
Jansen, E. H. J. M., see Reinerink, E. J. M. 553(1991)233
Janssen, H.-G., Schoenmakers, P. J. and Cramers, C. A.
Effects of modifiers in packed and open-tubular supercritical fluid chromatography 552(1991)527
Jäppinen, P., see Rosenberg, C. 552(1991)265
Johansen, K., see Edlund, P. O. 553(1991)21
Juergens, U. H.
Analysis of sulthiame in serum by narrow-bore high-performance liquid chromatography. Comparison of direct sample injection with pre-column switching and extrelut extraction 553(1991)7
Jung, M., Schmalzing, D. and Schurig, V.
Theoretical approach to the gas chromatographic separation of enantiomers on dissolved cyclodextrin derivatives 552(1991)43
Juranyiová, E., see Matisová, E. 552(1991)301
Kaleja, M., see Oberdorfer, F. 552(1991)483
Kamminga, D. A., see Kwakman, P. J. M. 553(1991)345
Kapás, M., see Pudleiner, P. 553(1991)29
Kasheva, T. N., see Galushko, S. V. 553(1991)143
Katti, A. M., see Zhu, J. 552(1991)71
Kažoka, H. A., see Shatz, V. D. 552(1991)23
Keller, U., see Wünsche, L. 552(1991)539
Kemper, K., see Oberdorfer, F. 552(1991)483
Kitsos, M., Gandini, C., Massolini, G., De Lorenzi, E. and Caccialanza, G.
High-performance liquid chromatography post-column derivatization with fluorescence detection to study the influence of ambroxol on dipalmitoylphosphatidylcholine levels in rabbit eustachian tube washings 553(1991)1
Knausz, D., see Morvai, M. 552(1991)337
Kočan, A., see Matisová, E. 552(1991)301
Kononenko, V. L. and Shimkus, J. K.
Non-equilibrium integral Doppler anemometric analysis of particle mixtures in a channel flow using an intrinsic hydrodynamic focusing force biased by another force 553(1991)517
Kootstra, P. R., see Somsen, G. W. 552(1991)635
Kovács-Hadady, K. and Szilágyi, J.
Separation of minoxidil and its intermediates by overpressured layer chromatography using a stationary phase bonded with tricaprylmethylammonium chloride 553(1991)459
Kukhar, V. P., see Galushko, S. V. 553(1991)143
Kuningas, K. R., see Berezkin, V. G. 552(1991)313
Kuráň, P., see Matisová, E. 552(1991)301
Kwakkenbos, G. T. C., see Duchateau, A. L. L. 552(1991)605
Kwakman, P. J. M., Kamminga, D. A., Brinkman, U. A. T. and De Jong, G. J.
Sensitive liquid chromatographic determination of alkyl-, nitro- and chlorophenols by precolumn derivatization with dansyl chloride, postcolumn photolysis and peroxyoxalate chemiluminescence detection 553(1991)345
Lagerström, P.-O., see Balmér, K. 553(1991)391
Larionov, O. G., Petrenko, V. V. and Platonova, N. P.
Determination of sorbent polarity and selectivity by linear regression of retention indices 552(1991)31
Law, B. and Chan, P. F.
Possible role for stationary phase metal interactions in the chromatography of hydroxyamines on silica 552(1991)429

Legaz, M. E., see Vicente, C. 553(1991)271
Lekova, K. and Ivanova, N.
Gas chromatographic analysis of some glycol ether analytes on a specially packed column 552(1991)353
Lemque, R., Vidal-Madjar, C., Racine, M., Piquion, J. and Sébille, B.
Anion-exchange chromatographic properties of α-lactalbumin eluted from quaternized polyvinylimidazole. Study of the role of the polymer coating 553(1991)165
Lercker, G., see Antonelli, A. 552(1991)273
Le Roux, M., see Burger, B. V. 552(1991)137
Letavernier, J.-F., see Voirin, A. 553(1991)155
Lin, S.-N., see Suter, M. J.-F. 553(1991)101
Lindner, W., Uray, G. and Steiner, U.
(*S,S*)-Diphenylethylethanediamine derivatives as chiral selectors. II. Gasparrini-type bound chiral stationary phase with high enantioselectivity for naphthylamides 553(1991)373
Lingeman, H., see Barceló, D. 553(1991)311
Lin Ling, B., Dewaele, C. and Baeyens, W. R. G.
Micro liquid chromatography with fluorescence detection of thiols and disulphides 553(1991)433
Liu, Y., see Lou, X. 552(1991)153
Lodkowski, R., see Suprynowicz, Z. 552(1991)463
Longdon, K., see Witherow, L. 553(1991)497
Loth, F., see Boeden, H.-F. 552(1991)389
Lou, X., Liu, Y. and Zhou, L.
Investigation of cross-linking chiral stationary phases within capillary columns 552(1991)153
Lucarelli, C., see Belliardo, F. 553(1991)41
Lucarelli, C., see Brega, A. 553(1991)249
Maeba, R., see Werner, A. 553(1991)205
Maggio, A., see Milana, M. R. 552(1991)205
Mancinelli, A., Bruno, G., Cardace, G., Morabito, E., Marzo, A. and Arrigoni Martelli, E.
High-performance liquid chromatographic evaluation of Med 15 and its metabolites Med 5 and tolmetin in rat plasma 553(1991)81
Manera, E., see Pietta, P. 553(1991)223
Mantero, F., see Carpenè, G. 553(1991)201
Marcato, B., Fantazzini, C. and Sevini, F.
Determination of polymeric hindered amine light stabilizers in polyolefins by high-performance liquid chromatography 553(1991)415
Marzo, A., see Mancinelli, A. 553(1991)81
Massolini, G., see Kitsos, M. 553(1991)1
Mateos, J. L., see Vicente, C. 553(1991)271
Matisová, E., Juranyiová, E., Kuráň, P., Brandšteterová, E., Kočan, A. and Holotík, Š.
Analysis of multicomponent mixtures by high-resolution capillary gas chromatography and combined gas chromatography–mass spectrometry. I. Aromatics in a hydrocarbon matrix 552(1991)301
Mauri, P., see Pietta, P. 553(1991)223
Mearns, A. J., see Clark, B. J. 553(1991)383
Meister, A. E., see Berezkin, V. G. 552(1991)313
Melnikova, S. V., see Berezkina, L. G. 552(1991)319
Melzi d'Eril, G. V. and Rizzo, V.
Determination of free DOPA and 3-O-methyl-DOPA in human plasma by high-performance liquid chromatography with electrochemical detection 553(1991)265
Mengerink, Y., De Man, H. C. J. and Van der Wal, S.
Use of an evaporative light scattering detector in reversed-phase high-performance liquid chromatography of oligomeric surfactants 552(1991)593
Merati, R., see Riva, E. 553(1991)35
Miksik, I., see Hanis, T. 553(1991)93
Milana, M. R., Maggio, A., Denaro, M., Feliciani, R. and Gramiccioni, L.
Modern approach to the quantitative determination of volatiles in solid samples. Multiple headspace extraction gas chromatography for the determination of cyclohexanone residues in soil 552(1991)205
Molnár-Perl, I., see Fábián, V. 553(1991)87
Molnár-Perl, I., see Morvai, M. 552(1991)337
Moore, W. T., see Suter, M. J.-F. 553(1991)101
Morabito, E., see Mancinelli, A. 553(1991)81
Moretti, F., see Carducci, C. 553(1991)149
Morrissey, M. A. and Widmer, H. M.
Ion-mobility spectrometry as a detection method for packed-column supercritical fluid chromatography 552(1991)551
Mortimer, N., see Escott, R. E. A. 553(1991)423
Morvai, M., Molnár-Perl, I. and Knausz, D.
Simultaneous gas–liquid chromatographic determination of sugars and organic acids as trimethylsilyl derivatives in vegetables and strawberries 552(1991)337
Morvai, M., see Fábián, V. 553(1991)87
Moskovkina, M., see Dimov, N. 552(1991)59
Müller, R., see Boeden, H.-F. 552(1991)389
Munro, Z. M., see Burger, B. V. 552(1991)137
Munsters, B. H. M., see Duchateau, A. L. L. 552(1991)605
Nikitin, Y. S., see Gavrilova, T. B. 552(1991)179

Nishi, H., Fukuyama, T. and Terabe, S.
Chiral separation by cyclodextrin-modified micellar electrokinetic chromatography 553(1991)503
Nooyen, W. J., see Van Tellingen, O. 553(1991)47
Oberdorfer, F., Kemper, K., Kaleja, M., Reusch, J. and Gottschall, K.
Carbohydrate analysis with ion chromatography using Eurokat stationary phases. Preparative separation of monosaccharides and their fluorinated derivatives 552(1991)483
Okamoto, M.
Preparation and evaluation of octadecyl- or phenylpropyl-treated porous glass for the high-performance liquid chromatographic analysis of bufadienolides in *Bufonis venenum* 552(1991)381
Opocher, G., see Carpenè, G. 553(1991)201
O'Sullivan, H., see Evans, M. B. 552(1991)169
Pacáková, V., see Štulík, K. 552(1991)439
Packham, A. J. and Fielden, P. R.
Column switching for the high-performance liquid chromatographic analysis of polynuclear aromatic hydrocarbons in petroleum products 552(1991)575
Pedini, F., see Carpenè, G. 553(1991)201
Pedrosa, M. M., see Vicente, C. 553(1991)271
Pérez, S., see Sánchez-Brunete, C. 552(1991)235
Persson, A., see Balmér, K. 553(1991)391
Persson, B.-A., see Balmér, K. 553(1991)391
Petrenko, V. V., see Larionov, O. G. 552(1991)31
Petsev, N., see Gavrilova, T. B. 552(1991)179
Pietta, P., Mauri, P., Bruno, A., Rava, A., Manera, E. and Ceva, P.
Identification of flavonoids from *Ginkgo biloba* L., *Anthemis nobilis* L. and *Equisetum arvense* L. by high-performance liquid chromatography with diode-array UV detection 553(1991)223
Pilorz, K., see Suprynowicz, Z. 552(1991)463
Pintér-Szakács, M., see Fábián, V. 553(1991)87
Piquion, J., see Lemque, R. 553(1991)165
Platonova, N. P., see Larionov, O. G. 552(1991)31
Polesello, A., see Rizzolo, A. 553(1991)187
Pommerening, K., see Boeden, H.-F. 552(1991)389
Povel, F. R., see Tuinstra, L. G. M. T. 552(1991)259
Prapamontol, T. and Stevenson, D.
Rapid method for the determination of organochlorine pesticides in milk 552(1991)249
Prošek, M., Drusany, I. and Golc-Wondra, A.
Quantitative two-dimensional thin-layer chromatography 553(1991)477
Pudleiner, P., Kapás, M. and Vereczkey, L.
High-performance liquid chromatographic method for the determination of RGH-5702 in plasma samples 553(1991)29
Püttmann, W.
Thermodesorption–gas chromatography–mass spectrometric analysis of biological materials for potential molecular precursors of the constituents of the crude oils 552(1991)325
Quadri, A., see Brega, A. 553(1991)249
Quadrini, G., see Brega, A. 553(1991)249
Racine, M., see Lemque, R. 553(1991)165
Rang, S. A., see Berezkin, V. G. 552(1991)313
Rava, A., see Pietta, P. 553(1991)223
Reinerink, E. J. M., Doorn, L., Jansen, E. H. J. M. and Van Iersel, A. A. J.
Measurement of enzyme activities of cytochrome P-450 isoenzymes by high-performance liquid chromatographic analysis of products 553(1991)233
Reusch, J., see Oberdorfer, F. 552(1991)483
Richli, U., see Badoud, R. 552(1991)345
Rickenbacher, U., see Giard-Pasquier, C. 553(1991)117
Riva, E., Merati, R. and Cavenaghi, L.
High-performance liquid chromatographic determination of rifapentine and its metabolite in human plasma by direct injection into a shielded hydrophobic phase column 553(1991)35
Rizzo, V., see Melzi d'Eril, G. V. 553(1991)265
Rizzolo, A., Baldo, C. and Polesello, A.
Application of high-performance liquid chromatography to the analysis of niacin and biotin in Italian almond cultivars 553(1991)187
Rocco, S., see Carpenè, G. 553(1991)201
Roos, A. H., see Tuinstra, L. G. M. T. 552(1991)259
Rosenberg, C., Aalto, T., Tornaeus, J., Hesso, A., Jäppinen, P. and Vainio, H.
Identification by capillary gas chromatography–mass spectrometry of volatile organohalogen compounds formed during bleaching of kraft pulp 552(1991)265
Rotzsche, H.
Gas chromatographic analysis of fatty acid salts 552(1991)281
Ruane, R. J., see Witherow, L. 553(1991)497
Rupprich, C., see Boeden, H.-F. 552(1991)389
Russo, M. V., see Cartoni, G. P. 552(1991)197
Sabanathan, S., see Clark, B. J. 553(1991)383

Sabbah, S. and Bouguerra, M. L.
Analyse par chromatographie en phase gazeuse haute résolution–spectrométrie de masse des mélanges techniques de Phénochlor 552(1991)223
Sabbah, S., see Driss, M. R. 552(1991)213
Sánchez-Brunete, C., Pérez, S. and Tadeo, J. L.
Determination of phenoxy ester herbicides by gas and high-performance liquid chromatography 552(1991)235
Sandra, P., see Coene, J. 553(1991)285
Santilio, A., see Di Muccio, A. 552(1991)241
Santilio, A., see Di Muccio, A. 553(1991)305
Schenderjuk, V. V., see Golovnya, R. V. 552(1991)1
Schiavi, M., see Italia, A. 553(1991)15
Schildnitz, U., see Huber, R. 553(1991)65
Schill, G., see Balmér, K. 553(1991)391
Schmalzing, D., see Jung, M. 552(1991)43
Schmid, J., see Buszewski, B. 552(1991)415
Schoenmakers, P. J., see Hogendoorn, E. A. 552(1991)113
Schoenmakers, P. J., see Janssen, H.-G. 552(1991)527
Schreurs, M., Hellendoorn, L., Gooijer, C. and Velthorst, N. H.
Time-resolved luminescence detection of derivatized thiols in column liquid chromatography 552(1991)625
Schrijver, J., see Van Vliet, T. 553(1991)179
Schurig, V., see Jung, M. 552(1991)43
Sebille, B., see Agnus, B. 552(1991)583
Sebille, B., see Gosselet, M. 552(1991)563
Sébille, B., see Lemque, R. 553(1991)165
Sebille, B., see Voirin, A. 553(1991)155
Sernicola, L., see Di Muccio, A. 552(1991)241
Sevini, F., see Marcato, B. 553(1991)415
Shatz, V. D. and Kažoka, H. A.
Adsorption and partition mode in high-performance liquid chromatography of highly polar solutes on silica 552(1991)23
Shimasaki, H., see Werner, A. 553(1991)205
Shimkus, J. K., see Kononenko, V. L. 553(1991)517
Siems, W. G., see Grune, T. 553(1991)193
Sinkkonen, S.
Isolation of chlorinated dibenzothiophenes by high-performance thin-layer chromatography 553(1991)453
Solodenko, V. A., see Galushko, S. V. 553(1991)143
Somsen, G. W., Van de Nesse, R. J., Gooijer, C., Brinkman, U. A. T., Velthorst, N. H., Visser, T., Kootstra, P. R. and De Jong, A. P. J. M.
Spray jet assembly interface for the coupling of reversed-phase narrow-bore liquid chromatography and Fourier transform infrared spectrometry 552(1991)635
Souhodolova, V. I., see Berezkina, L. G. 552(1991)319
Spurway, T. D., see Witherow, L. 553(1991)497
Ståhlberg, J., see Bartha, Á. 552(1991)13
Steiner, U., see Lindner, W. 553(1991)373
Stevenson, D., see Prapamontol, T. 552(1991)249
Struzinsky, R., see Hanis, T. 553(1991)93
Štulík, K., Pacáková, V. and Wang, H.
High-performance liquid chromatography of amino acids and dipeptides on new ion exchangers of the HEMA series 552(1991)439
Suprynowicz, Z., Pilorz, K. and Lodkowski, R.
Evaluation of the application of liquid-phase titration to the examination of the adsorption activity of silica-based high-performance liquid chromatographic packings 552(1991)463
Suter, M. J.-F., DaGue, B. B., Moore, W. T., Lin, S.-N. and Caprioli, R. M.
Recent advances in liquid chromatography–mass spectrometry and capillary zone electrophoresis–mass spectrometry for protein analysis 553(1991)101
Svec, F., see Dernovaya, L. A. 552(1991)365
Szilágyi, J., see Kovács-Hadady, K. 553(1991)459
Szokoli, F., see Bartha, Á. 552(1991)13
Tadeo, J. L., see Sánchez-Brunete, C. 552(1991)235
Ten Bokkel Huinink, W. W., see Van Tellingen, O. 553(1991)47
Terabe, S., see Nishi, H. 553(1991)503
Topalova, I., see Gavrilova, T. B. 552(1991)179
Tornaeus, J., see Rosenberg, C. 552(1991)265
Trathnigg, B.
Determination of chemical composition of polymers by size-exclusion chromatography with coupled density and refractive index detection. III. Polyethylene oxide and polytetrahydrofuran 552(1991)507
Tuinstra, L. G. M. T., Povel, F. R. and Roos, A. H.
Multi-matrix–multi-pesticide method for agricultural products 552(1991)259
Tuinstra, L. G. M. T., see Van Rhijn, J. A. 552(1991)517
Ueta, N., see Werner, A. 553(1991)205

Uhlig, R., see Grune, T. 553(1991)193
Uray, G., see Lindner, W. 553(1991)373
Vainio, H., see Rosenberg, C. 552(1991)265
Valkó, K., see Bánhegyi, G. 553(1991)407
Van den Berg, J. H. M., see Goosens, E. C. 552(1991)489
Van den Berg, R. H., see Jansen, E. H. J. M. 553(1991)123
Van den Bossche, W., see Coene, J. 553(1991)285
Van den Eeckhout, E., see Coene, J. 553(1991)285
Van de Nesse, R. J., Hoogland, G. J. M., De Moel, J. J. M., Gooijer, C., Brinkman, U. A. T. and Velthorst, N. H.
On-line coupling of liquid chromatography to thin-layer chromatography for the identification of polycyclic aromatic hydrocarbons in marine sediment by fluorescence excitation and emission spectroscopy 552(1991)613
Van de Nesse, R. J., see Somsen, G. W. 552(1991)635
Van der Wal, S., see Mengerink, Y. 552(1991)593
Van der Woude, H. R., see Van Tellingen, O. 553(1991)47
Van Iersel, A. A. J., see Reinerink, E. J. M. 553(1991)233
Van Leeuwen, F. X. R., see Doorn, L. 553(1991)135
Van Leuken, R. G. J., see Duchateau, A. L. L. 552(1991)605
Van Polanen, A., see De Jong, J. 553(1991)243
Van Rhijn, J. A. and Tuinstra, L. G. M. T.
Miniaturisation of size-exclusion chromatography as a powerful clean-up tool in residue analysis 552(1991)517
Van Schaik, F., see Van Vliet, T. 553(1991)179
Van Schoonhoven, J., see Van Vliet, T. 553(1991)179
Van Tellingen, O., Beijnen, J. H., Baurain, R., Ten Bokkel Huinink, W. W., Van der Woude, H. R. and Nooyen, W. J.
High-performance liquid chromatographic determination of vinblastine, 4-O-deacetylvinblastine and the potential metabolite 4-O-deacetylvinblastine-3-oic acid in biological fluids 553(1991)47
Van Vliet, T., Van Schaik, F., Van Schoonhoven, J. and Schrijver, J.
Determination of several retinoids, carotenoids and E vitamers by high-performance liquid chromatography. Application to plasma and tissues of rats fed a diet rich in either β-carotene or canthaxanthin 553(1991)179
Van Zoonen, P., see Hogendoorn, E. A. 552(1991)113
Velthorst, N. H., see Schreurs, M. 552(1991)625
Velthorst, N. H., see Somsen, G. W. 552(1991)635
Velthorst, N. H., see Van de Nesse, R. J. 552(1991)613
Vereczkey, L., see Pudleiner, P. 553(1991)29
Vergori, F., see Di Muccio, A. 552(1991)241
Vergori, F., see Di Muccio, A. 553(1991)305
Vergori, L., see Di Muccio, A. 553(1991)305
Vettoretti, A., see Carpenè, G. 553(1991)201
Veuthey, J.-L., see Coquet, A. 553(1991)255
Vicente, C., Mateos, J. L., Pedrosa, M. M. and Legaz, M. E.
High-performance liquid chromatographic determination of sugars and polyols in extracts of lichens and sugarcane juice 553(1991)271
Vidal-Madjar, C., see Lemque, R. 553(1991)165
Viktorova, E. N., see Berezkin, V. G. 552(1991)313
Villa, P., see Brega, A. 553(1991)249
Villeneuve, F., see Desbène, P. L. 553(1991)211
Visser, T., see Somsen, G. W. 552(1991)635
Vlasenko, E. V., see Gavrilova, T. B. 552(1991)179
Voirin, A., Letavernier, J.-F. and Sebille, B.
Improvement of extraction and concentration of milk peptides with solid-phase cartridges for analysis by high-performance liquid chromatography 553(1991)155
Vreeken, R. J., see Barceló, D. 553(1991)311
Vuik, J.
Rapid determination of abamectin in lettuce and cucumber by high-performance liquid chromatography 553(1991)299
Wang, H., see Štulík, K. 552(1991)439
Weber, W. H., see De la Vigne, U. 553(1991)489
Wei, J.-L., see Wei, J.-Q. 552(1991)103
Wei, J.-Q., Wei, J.-L. and Zhou, X.-T.
Computer-aided optimization of the experimental conditions for the isocratic reversed-phase high-performance liquid chromatographic separation of hormonal steroids 552(1991)103
Werner, A., Maeba, R., Shimasaki, H., Ueta, N. and Gerber, G.
Purine and pyrimidine compounds in murine peritoneal macrophages cultured *in vitro* 553(1991)205
Widmer, H. M., see Morrissey, M. A. 552(1991)551
Wilken, M. E., see Burger, B. V. 552(1991)137
Wilson, I. D., see Witherow, L. 553(1991)497

Witherow, L., Spurway, T. D., Ruane, R. J., Wilson, I. D. and Longdon, K. Problems and solutions in chiral thin-layer chromatography: a two-phase "Pirkle" modified amino-bonded plate 553(1991)497

Witte, D. T., Bosman, J., De Boer, T., Drenth, B. F. H., Ensing, K. and De Zeeuw, R. A. Influence of chemical structure of tricyclic tertiary dimethylamines on chiral separation by reversed-phase high-performance liquid chromatography after derivatization with (−)-menthylchloroformate 553(1991)365

Wünsche, L., Keller, U. and Flament, I. Combination of supercritical fluid chromatography with thin-layer chromatography on a semi-preparative scale 552(1991)539

Yakush, E. V., see Golovnya, R. V. 552(1991)1

Zacchei, P., see Cartoni, G. P. 552(1991)197

Zech, K. and Herzog, R. Two-dimensional high-performance liquid chromatography at low ng/ml levels of the anti-proliferative agent B859-35 in serum with automated sample clean-up, solid-phase trapping and ultraviolet detection 553(1991)55

Zhou, L., see Guan, Y. 552(1991)187

Zhou, L., see Lou, X. 552(1991)153

Zhou, X.-T., see Wei, J.-Q. 552(1991)103

Zhu, J., Katti, A. M. and Guiochon, G. Comparison of various isotherm models for predicting competitive adsorption data 552(1991)71

Zhuravleva, I. L., see Golovnya, R. V. 552(1991)1

Zobel, H., Helms, M. and Dittberner, K. Quantitative structure-type analysis of heterocompound–hydrocarbon mixtures. VI. Characterization of the nature of neutral heterocompounds in a product of brown coal refining 553(1991)441